

DS23 - Dell R710 - 2 Procs

2.8Ghz / 144GB / 3 - 146GB

Raid 5



F2 = System Setup  
F10 = System Services  
F11 = BIOS Boot Manager  
F12 = PXE Boot

Two 2.80 GHz Quad-core Processors, Bus Speed:6.40 GT/s, L2/L3 Cache:1 MB/8 MB  
System running at 2.80 GHz  
System Memory Size: 144.0 GB, System Memory Speed: 800 MHz, Voltage: 1.5V

Broadcom NetXtreme II Ethernet Boot Agent v5.2.7  
Copyright (C) 2000-2009 Broadcom Corporation  
All rights reserved.  
Press Ctrl-S to Configure Device (MAC Address - 842B2B5425EF)

Dell Inc. (www.dell.com) - PowerEdge R710  
BIOS Version 2.1.9

Service Tag: H7GQNM1

Asset Tag:

System Time ..... 13:15:27  
System

	C States .....	Enabled
Memory	Processor 1 Family-Model-Stepping .....	06-1A-5
Proces	[Intel(R) Xeon(R) CPU X5560 @ 2.80GHz]	
	Level 2 Cache .....	4x256 KB
SATA S	Level 3 Cache .....	8 MB
	Number of Cores .....	4
Boot S	Processor 2 Family-Model-Stepping .....	06-1A-5
	[Intel(R) Xeon(R) CPU X5560 @ 2.80GHz]	
Integr	Level 2 Cache .....	4x256 KB
PCI IR	Level 3 Cache .....	8 MB
	Number of Cores .....	4

Serial  
Embedded Server Management ..... <ENTER>

Power Management ..... <ENTER>



Dell Inc. (www.dell.com) - PowerEdge R710  
BIOS Version 6.4.0

Service Tag: BTTCJL1

Asset Tag:

System Time ..... 17:07:09  
System Date ..

Memory Setting  
Processor Sett

System Memory Size ..... 144.0 GB  
System Memory Type ..... ECC DDR3  
System Memory Speed ..... 800 MHz  
System Memory Voltage ..... 1.5V  
Video Memory ..... 8 MB  
System Memory Testing ..... Disabled  
Memory Operating Mode ..... Optimizer Mode  
Node Interleaving ..... Disabled  
Memory Operating Voltage ..... Auto

SATA Settings

Boot Settings

Integrated Dev  
PCI IRQ Assign

Serial Communication ..... <ENTER>  
Embedded Server Management ..... <ENTER>

Power Management ..... <ENTER>

Up,Down Arrow to select    SPACE,+, - to change    ESC to exit    F1=Help

Revision #3

Created 15 December 2024 18:28:18 by Andy

Updated 15 December 2024 19:07:31 by Andy