

HPS380-2 - 380 Gen 7 / 49GB / 16 - 146 Drives

Drive Config: 1.9TB - Raid 5 with hot spare

10Gbit FCoE Card, extra network card, two fiber channel cards and the array controller has an external port (see bottom)





HP ProLiant

48 GB Installed

ProLiant System BIOS - P67 (08/16/2015)

Copyright 1982, 2015 Hewlett-Packard Development Company, L.P.

2 Processor(s) detected, 12 total cores enabled, Hyperthreading is enabled

Proc 1: Intel(R) Xeon(R) CPU X5680 @ 3.33GHz

Proc 2: Intel(R) Xeon(R) CPU X5680 @ 3.33GHz

QPI Speed: 6.4 GT/s

HP Power Profile Mode: Custom

Power Regulator Mode: Static High Performance

Advanced Memory Protection Mode: Advanced ECC Support

File 2 of 3



BIOS-Based Setup Utility, Version 3.00

Copyright 1982, 2015 Hewlett-Packard Development Company, L.P.

System Options

- Power Management Options
- PCI IRQ Settings
- PCI Device Enable/Disable
- Standard Boot Order (IPL)
- Boot Controller Order
- Date and Time
- Server Availability
- Server Security
- BIOS Serial Console & EMS
- Server Asset Text
- Advanced Options
- System Default Options
- Utility Language

HP ProLiant DL380 G7

S/N: 2M2030015Y

Product ID: 605875-005

HP BIOS P67 08/16/2015

Backup Version 07/02/2013

Bootblock 02/18/2010

Power Management Controller - 1.6

49152MB Memory Configured



Proc 1: Intel 3.33GHz, 12MB L3 Cache

Proc 2: Intel 3.33GHz, 12MB L3 Cache

Press <TAB> for More Information

<Enter> to View/Modify System Specific Options
<↑/↓> for Different Selection; <TAB> for More Info; <ESC> to Exit Utility

File 1 of 3



Revision #3

Created 10 October 2024 16:01:15 by Andy

Updated 16 November 2024 17:25:21 by Andy